

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rotec RW 30

Revision date: 01.03.2022

Product code: 35

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Rotec RW 30

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.3. Details of the supplier of the safety data sheet**

Company name: Rotec B.V.
Street: Galileilaan 32
Place: NL-6716 BP Ede

Telefax: 0318 - 574156
Telephone: 0318 - 574151

Contact person: Dhr. J. van Broekhoven
e-mail: info@rotec-tools.nl

1.4. Emergency telephone number:

Emergency telephone number (24h) + 44 1235 239670 (en)

Further Information

Reserved for industrial and professional use.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements**Regulation (EC) No 1272/2008****Special labelling of certain mixtures**

EUH208 Contains Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts. May produce an allergic reaction.
EUH210 Safety data sheet available on request.

2.3. Other hazards

Avoid release to the environment.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

High slip hazard because of leaking or spilled product.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rotec RW 30

Revision date: 01.03.2022

Product code: 35

Page 2 of 12

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
68425-15-0	Polysulfides, di-tert-dodecyl			20 - < 25 %
	270-335-7		01-2119540516-41	
	Aquatic Chronic 3; H412			
1471316-72-9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts			0.1 - < 1 %
	939-603-7		01-2119978241-36	
	Skin Sens. 1; H317			
126-71-6	Triisobutyl phosphate			0.1 - < 1 %
	204-798-3		01-2119957118-32	
	Skin Sens. 1B; H317			
106-20-7	Di(2-ethylhexyl)-amin			0.1 - < 1 %
	203-372-4		01-2119977118-28	
	Acute Tox. 3, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B, Aquatic Chronic 1; H331 H311 H302 H314 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
68425-15-0	270-335-7	Polysulfides, di-tert-dodecyl	20 - < 25 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg	
1471316-72-9	939-603-7	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	0.1 - < 1 %
		dermal: LD50 = 2000 mg/kg; oral: LD50 = 10000-20000 mg/kg	
126-71-6	204-798-3	Triisobutyl phosphate	0.1 - < 1 %
		dermal: LD50 = 5000 mg/kg; oral: LD50 = 5000 mg/kg	
106-20-7	203-372-4	Di(2-ethylhexyl)-amin	0.1 - < 1 %
		inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = 956 mg/kg; oral: LD50 = 847-1149 mg/kg M chron.; H410: M=1	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps. First aider: Pay attention to self-protection!
Symptoms can occur only after several hours.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Seek medical attention if problems persist.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rotec RW 30

Revision date: 01.03.2022

Product code: 35

Page 3 of 12

4.2. Most important symptoms and effects, both acute and delayed

No information available.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Water fog. Extinguishing powder. Carbon dioxide. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated:

Carbon dioxide (CO₂).

Carbon monoxide

Nitrogen oxides (NO_x).**5.3. Advice for firefighters**

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Wear personal protection equipment. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

For non-emergency personnel

Special danger of slipping by leaking/spilling product.

For emergency responders

Self-protection of the first aider Remove affected person from the danger area and lay down. Do not leave affected person unattended. Remove all sources of ignition. Use appropriate respiratory protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Treat the recovered material as prescribed in the section on waste disposal.

Collect in closed containers for disposal.

6.3. Methods and material for containment and cleaning up**For containment**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Clean contaminated articles and floor according to the environmental legislation.

Clean with detergents. Avoid solvent cleaners.

6.4. Reference to other sections

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Avoid oil mist

Use only in well-ventilated areas.

When using do not eat, drink or smoke.

Further information on handling

High slip hazard because of leaking or spilled product.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rotec RW 30

Revision date: 01.03.2022

Product code: 35

Page 4 of 12

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 5-40 °C

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Maximum period of storage (time): 3

Further information on storage conditions

Protect from sunlight. Store in a well-ventilated place.

7.3. Specific end use(s)

Observe technical data sheet.

Reserved for industrial and professional use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rotec RW 30

Revision date: 01.03.2022

Product code: 35

Page 5 of 12

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
68425-15-0	Polysulfides, di-tert-dodecyl			
Worker , long-term		dermal	systemic	33,3 mg/kg bw/day
Worker , long-term		inhalation	systemic	23,5 mg/m ³
Consumer , long-term		oral	systemic	1,66 mg/kg bw/day
Consumer , long-term		dermal	systemic	16,6 mg/kg bw/day
Consumer , long-term		inhalation	systemic	5,8 mg/m ³
1471316-72-9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts			
Worker DNEL, long-term		inhalation	systemic	35,26 mg/m ³
Worker DNEL, long-term		dermal	systemic	25 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	8,7 mg/m ³
Consumer DNEL, long-term		dermal	systemic	12,5 mg/kg bw/day
Consumer DNEL, long-term		dermal	local	0,518 mg/cm ²
Consumer DNEL, long-term		oral	systemic	2,5 mg/kg bw/day
126-71-6	Triisobutyl phosphate			
Worker DNEL, long-term		inhalation	systemic	50 mg/m ³
Worker DNEL, long-term		dermal	systemic	4,25 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	8,89 mg/m ³
Consumer DNEL, long-term		dermal	systemic	2,13 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	2,13 mg/kg bw/day
106-20-7	Di(2-ethylhexyl)-amin			
Worker DNEL, long-term		inhalation	systemic	1,76 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,25 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,435 mg/m ³
Consumer DNEL, long-term		dermal	systemic	0,125 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,125 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rotec RW 30

Revision date: 01.03.2022

Product code: 35

Page 6 of 12

PNEC values

CAS No	Substance	Value
Environmental compartment		Value
1471316-72-9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	
Freshwater		0,1 mg/l
Marine water		0,1 mg/l
Freshwater sediment		45211 mg/kg
Marine sediment		45211 mg/kg
Micro-organisms in sewage treatment plants (STP)		1000 mg/l
Soil		36739 mg/kg
126-71-6	Triisobutyl phosphate	
Freshwater		0,014 mg/l
Marine water		0,001 mg/l
Freshwater sediment		2,05 mg/kg
Marine sediment		0,205 mg/kg
Micro-organisms in sewage treatment plants (STP)		3,72 mg/l
Soil		0,426 mg/kg
106-20-7	Di(2-ethylhexyl)-amin	
Freshwater		0,001 mg/l
Marine water		0 mg/l
Freshwater sediment		43,6 mg/kg
Marine sediment		4,36 mg/kg
Micro-organisms in sewage treatment plants (STP)		1,8 mg/l
Soil		0,2 mg/kg

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Individual protection measures, such as personal protective equipment

Eye/face protection

EN 166

Hand protection

Protect skin by using skin protective cream.
Wash hands before breaks and after work.

Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.
Thorough skin-cleansing after handling the product. Set out skin protection guidelines.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rotec RW 30

Revision date: 01.03.2022

Product code: 35

Page 7 of 12

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Metal cutting paste
 Colour: yellow brown
 Odour: characteristic

Test method

Changes in the physical state

Boiling point or initial boiling point and boiling range:	not determined
Flash point:	250 °C DIN ISO 2592
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature:	350 °C ASTM E 659
pH-Value:	not applicable
Viscosity / kinematic: (at 40 °C)	not determined
Vapour pressure:	not determined
Density (at 20 °C):	1 g/cm ³ DIN EN ISO 12185

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No known hazardous reactions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Protect against: heat.

10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

10.6. Hazardous decomposition products

Hazardous decomposition products: none

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.
 Data apply to the main component.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rotec RW 30

Revision date: 01.03.2022

Product code: 35

Page 8 of 12

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
68425-15-0	Polysulfides, di-tert-dodecyl				
	oral	LD50 >2000 mg/kg	RAT		
	dermal	LD50 >2000 mg/kg	RAT		OECD Prüfrichtlinie 402
1471316-72-9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts				
	oral	LD50 10000-20000 mg/kg	Rat	ECHA	
	dermal	LD50 2000 mg/kg	Rat	ECHA	
126-71-6	Triisobutyl phosphate				
	oral	LD50 5000 mg/kg	Rat	ECHA	
	dermal	LD50 5000 mg/kg	Rabbit	ECHA	
106-20-7	Di(2-ethylhexyl)-amin				
	oral	LD50 847-1149 mg/kg	Rat	ECHA	
	dermal	LD50 956 mg/kg	Rabbit		Union Carbide 1968
	inhalation vapour	ATE 3 mg/l			
	inhalation dust/mist	ATE 0,5 mg/l			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rotec RW 30

Revision date: 01.03.2022

Product code: 35

Page 9 of 12

SECTION 12: Ecological information

12.1. Toxicity

The statement is derived from the properties of the components.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
68425-15-0	Polysulfides, di-tert-dodecyl					
	Acute fish toxicity	LC50 mg/l	>100	96 h	Danio rerio	OECD Prüfrichtlinie 203
1471316-72-9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts					
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oncorhynchus mykiss (Rainbow trout)	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	OECD 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	OECD 202
	Algae toxicity	NOEC mg/l	> 1000	3 d	Scenedesmus subspicatus	OECD 201
	Acute bacteria toxicity	(EC50 mg/l)	>10000			
106-20-7	Di(2-ethylhexyl)-amin					
	Acute fish toxicity	LC50	< 5 mg/l	96 h	Danio rerio	Echa
	Acute algae toxicity	ErC50 mg/l	1,55	96 h	freshwater algae	
	Acute crustacea toxicity	EC50	2,2 mg/l	48 h	Daphnia magna	
	Algae toxicity	NOEC mg/l	0,14	4 d	freshwater algae	
	Crustacea toxicity	NOEC mg/l	0,0069	21 d	Daphnia magna	OECD 211

12.2. Persistence and degradability

Product is not easily biodegradable.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
1471316-72-9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts				
	RA_CAS 70024-69-0, OECD 301D	8,0%	28		
	Not easily bio-degradable (according to OECD-criteria).				
126-71-6	Triisobutyl phosphate				
	OECD Guideline 301 B	70-80%	28		
	Easily biodegradable (concerning to the criteria of the OECD)				

12.3. Bioaccumulative potential

No information available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
1471316-72-9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	6,91
126-71-6	Triisobutyl phosphate	3,72
106-20-7	Di(2-ethylhexyl)-amin	7,3

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rotec RW 30

Revision date: 01.03.2022

Product code: 35

Page 10 of 12

BCF

CAS No	Chemical name	BCF	Species	Source
68425-15-0	Polysulfides, di-tert-dodecyl	< 1	Karpfen	

12.4. Mobility in soil

in delivery condition: viscous

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods**List of Wastes Code - residues/unused products**

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats; hazardous waste

List of Wastes Code - used product

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.
14.4. Packing group: No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.
14.4. Packing group: No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.
14.4. Packing group: -

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.
14.4. Packing group: -

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rotec RW 30

Revision date: 01.03.2022

Product code: 35

Page 11 of 12

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Personal protection equipment: see section 8

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2010/75/EU (VOC): 0,0 g/L

2004/42/EC (VOC): 0,0 %

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Polysulfides, di-tert-dodecyl

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1,2,7,11,15.

AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan),

ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rotec RW 30

Revision date: 01.03.2022

Product code: 35

Page 12 of 12

IMDG: International Maritime Code for Dangerous Goods
 EmS: Emergency Schedules
 MFAG: Medical First Aid Guide
 IATA: International Air Transport Association
 ICAO: International Civil Aviation Organization
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 VOC: Volatile Organic Compounds
 SVHC: Substance of Very High Concern
 Repr. - Reproduktionstoxizität
 Asp. Tox. - Aspirationstoxizität
 Acute Tox. - Akute Toxizität
 Aquatic Acute - Akute aquatische Toxizität
 Aquatic Chronic - Chronische aquatische Toxizität
 Eye Dam. - Augenschaden/-reizung
 Eye Irrit. - Augenreizung
 Skin Corr. - Ätzwirkung auf die Haut
 Skin Irrit. - Hautreizung
 Skin Sens. - Hautallergen
 Resp. Sens. - Inhalationsallergen
 STOT SE - Spezifische Zielorgan-Toxizität - einmalige Exposition
 STOT RE - Spezifische Zielorgan-Toxizität - wiederholte Exposition
 VOC - Flüchtige organische Verbindungen

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)